



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

April 17, 2024

Alan Levitus
North Colonie Central School District
735 Watervliet Shaker Rd
Latham, NY 12110
TEL: (518) 785-5771

Work Order No: 240415012
PO#: 52078

RE: Lead in PW
Shaker High

Adirondack Environmental Services, Inc received 54 samples on 4/15/2024 for the analyses presented in the following report.

Please see case narrative for specifics on analysis.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Matthew Daigneault
Laboratory Manager

ELAP#: 10709

North Colonie Central School District

Date: 17-Apr-24

Lead in PW

Lab WorkOrder: 240415012

Shaker High

Sample containers were supplied by Adirondack Environmental Services.

Definitions - RL: Reporting Limit DF: Dilution factor

Qualifiers: ND : Not Detected at reporting limit	C: CCV below acceptable Limits
J: Analyte detected below quantitation limit	C+: CCV above acceptable Limits
B: Analyte detected in Blank	S: LCS Spike recovery is below acceptable limits
X : Exceeds maximum contamination limit	S+: LCS Spike recovery is above acceptable limits
H: Hold time exceeded	Z: Duplication outside acceptable limits
N: Matrix Spike below acceptable limits	T : Tentatively Identified Compound-Estimated
N+: Matrix Spike is above acceptable limits	E :Above quantitation range-Estimated

Note : All Results are reported as wet weight unless noted

The results relate only to the items tested. Information supplied by the client is assumed to be correct.

Adirondack Environmental Services, Inc

Date: 17-Apr-24

CLIENT: North Colonie Central School District
Project: Lead in PW
 Shaker High

LabWork Order: 240415012
PO#: 52078

Lab SampleID: 240415012-001 **Collection Date:** 4/11/2024 4:44:00 AM
Client Sample ID: SHS 1 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead 4.8 1.0 µg/L 1 4/16/2024 7:34:50 PM

Lab SampleID: 240415012-002 **Collection Date:** 4/11/2024 4:32:00 AM
Client Sample ID: SHS 2 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead ND 1.0 µg/L 1 4/16/2024 7:45:36 PM

Lab SampleID: 240415012-003 **Collection Date:** 4/11/2024 4:34:00 AM
Client Sample ID: SHS 3 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead 3.1 1.0 µg/L 1 4/16/2024 7:49:12 PM

Lab SampleID: 240415012-004 **Collection Date:** 4/11/2024 4:35:00 AM
Client Sample ID: SHS 4 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead 1.1 1.0 µg/L 1 4/16/2024 7:52:48 PM

Lab SampleID: 240415012-005 **Collection Date:** 4/11/2024 4:36:00 AM
Client Sample ID: SHS 5 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead 1.0 1.0 µg/L 1 4/16/2024 8:03:34 PM

Adirondack Environmental Services, Inc

Date: 17-Apr-24

CLIENT: North Colonie Central School District
Project: Lead in PW
 Shaker High

LabWork Order: 240415012
PO#: 52078

Lab SampleID: 240415012-006 **Collection Date:** 4/11/2024 4:36:00 AM
Client Sample ID: SHS 6 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead 4.3 1.0 µg/L 1 4/16/2024 8:07:09 PM

Lab SampleID: 240415012-007 **Collection Date:** 4/11/2024 4:37:00 AM
Client Sample ID: SHS 7 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead 2.8 1.0 µg/L 1 4/16/2024 8:10:44 PM

Lab SampleID: 240415012-008 **Collection Date:** 4/11/2024 4:37:00 AM
Client Sample ID: SHS 8 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead 2.9 1.0 µg/L 1 4/16/2024 8:21:29 PM

Lab SampleID: 240415012-009 **Collection Date:** 4/11/2024 4:38:00 AM
Client Sample ID: SHS 9 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead ND 1.0 µg/L 1 4/16/2024 8:25:04 PM

Lab SampleID: 240415012-010 **Collection Date:** 4/11/2024 4:39:00 AM
Client Sample ID: SHS 10 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead ND 1.0 µg/L 1 4/16/2024 8:28:39 PM

Adirondack Environmental Services, Inc

Date: 17-Apr-24

CLIENT: North Colonie Central School District
Project: Lead in PW
 Shaker High

LabWork Order: 240415012
PO#: 52078

Lab SampleID: 240415012-011 **Collection Date:** 4/11/2024 4:41:00 AM
Client Sample ID: SHS 11 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead 1.1 1.0 µg/L 1 4/16/2024 8:32:14 PM

Lab SampleID: 240415012-012 **Collection Date:** 4/11/2024 4:41:00 AM
Client Sample ID: SHS 12 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead 3.2 1.0 µg/L 1 4/16/2024 8:35:50 PM

Lab SampleID: 240415012-013 **Collection Date:** 4/11/2024 4:42:00 AM
Client Sample ID: SHS 13 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead 10.8 1.0 µg/L 1 4/16/2024 8:46:36 PM

Lab SampleID: 240415012-014 **Collection Date:** 4/11/2024 4:47:00 AM
Client Sample ID: SHS 35 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead 5.0 1.0 µg/L 1 4/16/2024 8:50:12 PM

Lab SampleID: 240415012-015 **Collection Date:** 4/11/2024 4:47:00 AM
Client Sample ID: SHS 35A **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead ND 1.0 µg/L 1 4/16/2024 8:53:49 PM

Adirondack Environmental Services, Inc

Date: 17-Apr-24

CLIENT: North Colonie Central School District
Project: Lead in PW
 Shaker High

LabWork Order: 240415012
PO#: 52078

Lab SampleID: 240415012-016 **Collection Date:** 4/11/2024 4:40:00 AM
Client Sample ID: SHS 36 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead 3.2 1.0 µg/L 1 4/16/2024 8:57:24 PM

Lab SampleID: 240415012-017 **Collection Date:** 4/11/2024 4:49:00 AM
Client Sample ID: SHS 37 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead 4.4 1.0 µg/L 1 4/16/2024 9:08:09 PM

Lab SampleID: 240415012-018 **Collection Date:** 4/11/2024 4:50:00 AM
Client Sample ID: SHS 38 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead 3.4 1.0 µg/L 1 4/16/2024 9:18:55 PM

Lab SampleID: 240415012-019 **Collection Date:** 4/11/2024 4:50:00 AM
Client Sample ID: SHS 39 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead ND 1.0 µg/L 1 4/16/2024 9:29:41 PM

Lab SampleID: 240415012-020 **Collection Date:** 4/11/2024 4:51:00 AM
Client Sample ID: SHS 40 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead ND 1.0 µg/L 1 4/16/2024 9:33:16 PM

Adirondack Environmental Services, Inc

Date: 17-Apr-24

CLIENT: North Colonie Central School District
Project: Lead in PW
 Shaker High

LabWork Order: 240415012
PO#: 52078

Lab SampleID: 240415012-021 **Collection Date:** 4/11/2024 4:52:00 AM
Client Sample ID: SHS 41 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead ND 1.0 µg/L 1 4/16/2024 9:36:52 PM

Lab SampleID: 240415012-022 **Collection Date:** 4/11/2024 4:55:00 AM
Client Sample ID: SHS 42 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead ND 1.0 µg/L 1 4/16/2024 9:40:29 PM

Lab SampleID: 240415012-023 **Collection Date:** 4/11/2024 5:56:00 AM
Client Sample ID: SHS 43 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead ND 1.0 µg/L 1 4/16/2024 9:44:05 PM

Lab SampleID: 240415012-024 **Collection Date:** 4/11/2024 5:36:00 AM
Client Sample ID: SHS 44 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead 1.4 1.0 µg/L 1 4/16/2024 9:47:41 PM

Lab SampleID: 240415012-025 **Collection Date:** 4/11/2024 5:36:00 AM
Client Sample ID: SHS 45 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead ND 1.0 µg/L 1 4/16/2024 9:51:16 PM

Adirondack Environmental Services, Inc

Date: 17-Apr-24

CLIENT: North Colonie Central School District
Project: Lead in PW
 Shaker High

LabWork Order: 240415012
PO#: 52078

Lab SampleID: 240415012-026 **Collection Date:** 4/11/2024 5:36:00 AM
Client Sample ID: SHS 46 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead 1.1 1.0 µg/L 1 4/16/2024 9:54:52 PM

Lab SampleID: 240415012-027 **Collection Date:** 4/11/2024 5:32:00 AM
Client Sample ID: SHS 47 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead ND 1.0 µg/L 1 4/16/2024 9:58:28 PM

Lab SampleID: 240415012-028 **Collection Date:** 4/11/2024 5:32:00 AM
Client Sample ID: SHS 48 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead ND 1.0 µg/L 1 4/16/2024 10:16:24 PM

Lab SampleID: 240415012-029 **Collection Date:** 4/11/2024 5:33:00 AM
Client Sample ID: SHS 49 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead 4.2 1.0 µg/L 1 4/16/2024 10:20:00 PM

Lab SampleID: 240415012-030 **Collection Date:** 5/11/2024 5:27:00 AM
Client Sample ID: SHS 50 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead 12.2 1.0 µg/L 1 4/16/2024 10:23:35 PM

Adirondack Environmental Services, Inc

Date: 17-Apr-24

CLIENT: North Colonie Central School District
Project: Lead in PW
 Shaker High

LabWork Order: 240415012
PO#: 52078

Lab SampleID: 240415012-031 **Collection Date:** 5/11/2024 5:27:00 AM
Client Sample ID: SHS 51 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH						
(Prep: - 4/15/2024)						
Lead	21.1	1.0	X	µg/L	1	4/16/2024 10:27:11 PM

Lab SampleID: 240415012-032 **Collection Date:** 4/11/2024 5:30:00 AM
Client Sample ID: SHS 52 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH						
(Prep: - 4/15/2024)						
Lead	ND	1.0		µg/L	1	4/16/2024 10:30:48 PM

Lab SampleID: 240415012-033 **Collection Date:** 4/11/2024 5:21:00 AM
Client Sample ID: SHS 53 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH						
(Prep: - 4/15/2024)						
Lead	ND	1.0		µg/L	1	4/16/2024 10:34:25 PM

Lab SampleID: 240415012-034 **Collection Date:** 4/11/2024 5:21:00 AM
Client Sample ID: SHS 54 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH						
(Prep: - 4/15/2024)						
Lead	ND	1.0		µg/L	1	4/16/2024 10:38:00 PM

Lab SampleID: 240415012-035 **Collection Date:** 4/11/2024 5:23:00 AM
Client Sample ID: SHS 55 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH						
(Prep: - 4/15/2024)						
Lead	ND	1.0		µg/L	1	4/16/2024 10:41:36 PM

Adirondack Environmental Services, Inc

Date: 17-Apr-24

CLIENT: North Colonie Central School District
Project: Lead in PW
 Shaker High

LabWork Order: 240415012
PO#: 52078

Lab SampleID: 240415012-036 **Collection Date:** 4/11/2024 5:04:00 AM
Client Sample ID: SHS 56 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead **ND** 1.0 µg/L 1 4/16/2024 10:45:12 PM

Lab SampleID: 240415012-037 **Collection Date:** 4/11/2024 5:04:00 AM
Client Sample ID: SHS 57 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead **ND** 1.0 µg/L 1 4/16/2024 11:03:10 PM

Lab SampleID: 240415012-038 **Collection Date:** 4/11/2024 5:07:00 AM
Client Sample ID: SHS 58 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead **ND** 1.0 µg/L 1 4/16/2024 11:13:57 PM

Lab SampleID: 240415012-039 **Collection Date:** 4/11/2024 5:08:00 AM
Client Sample ID: SHS 59 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead **6.8** 1.0 µg/L 1 4/16/2024 11:17:33 PM

Lab SampleID: 240415012-040 **Collection Date:** 4/11/2024 5:09:00 AM
Client Sample ID: SHS 60 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead **1.9** 1.0 µg/L 1 4/16/2024 11:21:10 PM

Adirondack Environmental Services, Inc

Date: 17-Apr-24

CLIENT: North Colonie Central School District
Project: Lead in PW
 Shaker High

LabWork Order: 240415012
PO#: 52078

Lab SampleID: 240415012-041 **Collection Date:** 4/11/2024 5:09:00 AM
Client Sample ID: SHS 61 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4						Analyst: KH
(Prep: - 4/15/2024)						
Lead	ND	1.0		µg/L	1	4/16/2024 11:24:46 PM

Lab SampleID: 240415012-042 **Collection Date:** 4/11/2024 5:09:00 AM
Client Sample ID: SHS 62 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4						Analyst: KH
(Prep: - 4/15/2024)						
Lead	ND	1.0		µg/L	1	4/16/2024 11:28:22 PM

Lab SampleID: 240415012-043 **Collection Date:** 4/11/2024 5:09:00 AM
Client Sample ID: SHS 63 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4						Analyst: KH
(Prep: - 4/15/2024)						
Lead	ND	1.0		µg/L	1	4/16/2024 11:39:08 PM

Lab SampleID: 240415012-044 **Collection Date:** 4/11/2024 5:10:00 AM
Client Sample ID: SHS 64 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4						Analyst: KH
(Prep: - 4/15/2024)						
Lead	2.5	1.0		µg/L	1	4/16/2024 11:42:45 PM

Lab SampleID: 240415012-045 **Collection Date:** 4/11/2024 5:12:00 AM
Client Sample ID: SHS 65 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4						Analyst: KH
(Prep: - 4/15/2024)						
Lead	ND	1.0		µg/L	1	4/16/2024 11:46:21 PM

Adirondack Environmental Services, Inc

Date: 17-Apr-24

CLIENT: North Colonie Central School District
Project: Lead in PW
 Shaker High

LabWork Order: 240415012
PO#: 52078

Lab SampleID: 240415012-046 **Collection Date:** 4/11/2024 5:12:00 AM
Client Sample ID: SHS 66 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4						Analyst: KH
(Prep: - 4/15/2024)						
Lead	ND	1.0		µg/L	1	4/16/2024 11:49:57 PM

Lab SampleID: 240415012-047 **Collection Date:** 4/11/2024 5:15:00 AM
Client Sample ID: SHS 67 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4						Analyst: KH
(Prep: - 4/15/2024)						
Lead	ND	1.0		µg/L	1	4/16/2024 11:53:33 PM

Lab SampleID: 240415012-048 **Collection Date:** 4/11/2024 5:15:00 AM
Client Sample ID: SHS 68 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4						Analyst: KH
(Prep: - 4/15/2024)						
Lead	ND	1.0		µg/L	1	4/16/2024 11:57:09 PM

Lab SampleID: 240415012-049 **Collection Date:** 4/11/2024 5:17:00 AM
Client Sample ID: SHS 69 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4						Analyst: KH
(Prep: - 4/15/2024)						
Lead	3.1	1.0		µg/L	1	4/17/2024 12:07:58 AM

Lab SampleID: 240415012-050 **Collection Date:** 4/11/2024 5:17:00 AM
Client Sample ID: SHS 70 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4						Analyst: KH
(Prep: - 4/15/2024)						
Lead	ND	1.0		µg/L	1	4/17/2024 12:11:34 AM

Adirondack Environmental Services, Inc

Date: 17-Apr-24

CLIENT: North Colonie Central School District
Project: Lead in PW
 Shaker High

LabWork Order: 240415012
PO#: 52078

Lab SampleID: 240415012-051 **Collection Date:** 4/11/2024 5:18:00 AM
Client Sample ID: SHS 71 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead **ND** 1.0 µg/L 1 4/17/2024 12:22:21 AM

Lab SampleID: 240415012-052 **Collection Date:** 4/11/2024 5:18:00 AM
Client Sample ID: SHS 72 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead **1.5** 1.0 µg/L 1 4/17/2024 12:25:58 AM

Lab SampleID: 240415012-053 **Collection Date:** 4/11/2024 5:20:00 AM
Client Sample ID: SHS 73 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead **ND** 1.0 µg/L 1 4/17/2024 12:29:34 AM

Lab SampleID: 240415012-054 **Collection Date:** 4/11/2024 5:38:00 AM
Client Sample ID: SHS 74 **Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4 Analyst: KH
 (Prep: - 4/15/2024)
 Lead **6.9** 1.0 µg/L 1 4/17/2024 12:33:11 AM